aneeta sashless windows product update 2009



New



New





why aneeta sashless windows?

- Modern and Vogue opening alternative Optimal view , minimal framing.
- A secure, easily fly or security screened opening window system that looks like fixed glass.
- Versatility in window sizes and shapes, glazing options and sashless pane configurations.
- Energy efficient and effective. 50% ventilation, high "Star Ratings"
- Install into any new or existing flat faced 'surround-frame' aluminium, timber, steel, uPVC, masonry.
- ☐ Unique capabilities- Counter balanced, Counter weighted, 3 position locking systems
- Performance and Quality piece of mind Fully Tested STD 300pa water 1000pa water.
- ☐ Just give us the size and location and we will do all the work for you!
- Proudly Australian owned, engineered, made and warranted



an aneeta window for every opening!

- □ Sashless Double Hungs
- 2 Pane, 3 Pane & 4 Pane

■ Sashless Serveries

- 2 Pane & 3 Pane
- Sashless Double Glazed
- 2 Pane & 3 Pane

- Door Inserts
- □ Retrofit
- ☐ Horizontal Sliders


- 300 series

- Acoustic
- Special Applications



aneeta 2,3 & 4 pane sashless double hung systems

- ☐ Provide a full 50% window opening space for creating air circulation and cross ventilation.
- Residential and Commercial applications.
- ☐ Up to 1800mm Wide, and 4500mm high.☆
- Minimum width 300mm –sleek and stylish look. □
- Available in all 6mm and 10mm glass options and 16mm thick Double glazed variations in either toughened, float or laminate form.
- Versatile configurations- Available in raked and/or arched heads and/or sills.



Contact Aneeta for any requirements exceeding these dimensions








☐ Timber, Aluminium or combination profile









■ Angled applications







□ Raked applications








□ Sashless!







□ 10mm & 6mm Combo







☐ Performance!









□ Statement!








☐ 10mm & 6mm Combo








aneeta





Commercial








Performance



hinged sashless door inserts






■ 40mm door section




bi-fold sashless door inserts





■ No heel-toe!








aneeta








□ Code
















standard double glazed sashless








two double glazed sashless options





aneeta



'Clearstep' double glazed sashless





standard double glazed sashless










retro-fit into existing frames







Acoustic – dual glazing






□ STC 45



aneeta sashless horizontal slider systems

- ☐ Provide a full 50% window opening space for creating air circulation and cross ventilation.
- ☐ Suitable for Residential, Community and Commercial applications.
- ☐ Up to 4800mm wide, and 2400mm high. ☆
- ■Minimum height 300mm –sleek and stylish ☆
- □ Available in all 6mm and 10mm glass options in either toughened, float or laminate form.
- □ Versatile configurations-



Contact Aneeta for any requirements exceeding these dimensions



300 sashless horizontal slider







sashless horizontal slider











300 + sashless horizontal slider






☐ 'Door' application!



special aneeta sashless applications



Large Multi-panels spanning two stories




special aneeta sashless applications



Spencer Street Station, Ticket Office -Servery with perforated panes



special aneeta sashless applications







Commonwealth Mint ,Sydney - Large Serveries providing walkthrough



Regulations affecting Aneeta

AS1288 – glass in buildings

Section 4 – Design for Wind Loading

Maximum Allowable Glass Spans - Sashless Windows from above standard Checked for Wind load and Deflection Serviceability as per AS1288-2006; Section 4.4.6

Allowable width for double hungs / heights for horizontal sliders

Design Wind Pressure (Pa) either Pu or Ps

Pu	700	1000	1500	2300	3300	4500
Ps	500	700	1000	1500	2200	3000
Correspond N rating	N1	N2	N3	N4	N5	N6
6.38 Laminated	1319	1104	901	728	608	520
6mm Float	1362	1140	931	751	627	537
6mm Toughened	1428	1277	1134	990	872	786
10.38 Laminated	2149	1798	1468	1185	990	847
10mm Float	2169	1814	1481	1196	999	855
10mm Toughened	2389	2135	1896	1656	1458	1315

For double glazed a rule of thumb is that you use one glass thickness plus a half of the other i.e.. 4/8/4 tuff would be the same as 6mm tuff above, 4/6/6 would be similar to 7mm to 8mm

Anceta Sashless Window Systems Unit 2, 106 Old Pithwater Road Broolevale, NSW 2100 02 9939 0520 Prome 02 02 9939 0553 Time. nos@anestavindova.com * Denotes Mandatory Fields. Hust be supplied prior to start of works quote (if applicable) your order/job no. order odered by (if applicable) aneeta quote no. JOB DETAILS contact gh/mobile is the site an exposed location? (le > 150ps water rating) yes no./street suburb new frances 100mm Commercial existing frames hinged doors KDHW pe retroft). sliding doors bifold doors Details of 'other' powdercoat colour. * code * (Phat Provide Suspic) (metal limith - for all timber doors, horizontal aldins, servery, Diness, double glazed and aluminium cover options) any special requirements? Horizontal Sliders new 300 series (default) Double Glared standard Clearstep ORDER / DELIVERY INSTRUCTIONS These dimensions are: tight sizes site measure required delivery of your frames/ETA We are fitting: on site in your factory date to fit in your factory SASIRLESS WINDOWS REQUIRED Qfy Height x Width description / code Glass Type www.aneetawindows.com ALUMINIUM TIMBER 7/09/2009

aneeta administration









www.aneetawindows.com

Thank you for your time. Please contact me with any queries you may have.



Murray Hildebrand
Aneeta Window Systems (NSW) P/L
Unit 2/108 Old Pittwater Road
Brookvale NSW Australia 2100

Telephone +61 2 9939 0520
Fax +61 2 9939 0553
Mobile 0401 348 698
Email mhildebrand@aneetawindows.com
Web www.aneetawindows.com
Specialists in Sashless Windows

aneeta*

Specialists in Sashless Windows

Aneeta Windows pride themselves on being innovators in sashless window systems.

Please note many of our systems contain specific design elements and as such we protect our inventiveness by obtaining worldwide patents and design protection where possible

aneeta